

CERTIFICATE OF CONFORMITY

Holder of Certificate: Changzhou Trina Solar Energy Co., Ltd.
No.2 Tian He Road, Electronics Park, New District, Changzhou Jiangsu China 213031

Co-Holder of Certificate: Trina Solar (Schweiz) AG
Richtistrasse 11, 8304 Wallisellen, Switzerland
Acting as EU representative of the Holder of Certificate

Product: Mono/Poly Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

1) Standard Products:

Honey M Plus:

TSM-***DC05A(II), TSM-***DC05A.05(II), TSM-***DC05A.08(II) (***=260~315W);
TSM-***DD05A(II), TSM-***DD05A.08(II), TSM-***DD05A.05(II) (***=260~315W);

Tallmax M Plus:

TSM-***DD14A(II), TSM-***DD14A.05(II), TSM-***DD14A.08(II) (***=325~375W);

Honey:

TSM-***PC05A, TSM-***PC05A.05, TSM-***PC05A.08 (***=200~290W);
TSM-***PC05A(II), TSM-***PC05A.05(II), TSM-***PC05A.08(II) (***=260~300W);
TSM-***PD05, TSM-***PD05.05, TSM-***PD05.08 (***=215~290W);

Tallmax:

TSM-***PC14 (***=250~345W), TSM-***PC14A(***=275~345W);
TSM-***PD14 (***=260~345W);

Changzhou Trina Solar Energy Co. Ltd.

No. 2 Tian He Road, Electronics Park, New District,
Changzhou, Jiangsu, 213031

T: +86 519 8548 2008
F: +86 519 8517 6021
E: sales@trinasolar.com

Trina Solar (Schweiz) AG

Richtistrasse 11
8304 Wallisellen Schweiz

T: + 41 43 299 6800
F: + 41 43 299 6810
E: europa@trinasolar.com

Trinamount:

TSM-***DC01.10, TSM-***DC01.15, TSM-***DC01.18 (***=160~195W);
TSM-***DC01A.10, TSM-***DC01A.15, TSM-***DC01A.18 (***=170~205W);
TSM-***DC80.10, TSM-***DC80.15, TSM-***DC80.18, TSM-***DC80.50 (***=180~220W);
TSM-***PC05.10, TSM-***PC05.18 (***=215~275W);
TSM-***PC05A.10, TSM-***PC05A.15, TSM-***PC05A.18, TSM-***PC05A.50 (***=200~290W);
TSM-***PD05.10, TSM-***PD05.15, TSM-***PD05.18, TSM-***PD05.50 (***=215~290W);
TSM-***PD14.10, TSM-***PD14.15, TSM-***PD14.18, TSM-***PD14.50 (***=260~345W);
TSM-***DC05A.50 (***=230~280W); TSM-***PC14.50 (***=250~345W);

Trinasmart:

TSM-***DC05A.002, TSM-***DC05A.052, TSM-***DC05A.082 (***=230~280W);
TSM-***PC05A.002, TSM-***PC05A.052, TSM-***PC05A.082 (***=215~275W);
TSM-***PC05A.102, TSM-***PC05A.152, TSM-***PC05A.182 (***=215~275W);
TSM-***PD05.002, TSM-***PD05.052, TSM-***PD05.082 (***=215~275W);
TSM-***PD05.102, TSM-***PD05.152, TSM-***PD05.182 (***=215~275W);
TSM-***PC14.002, TSM-***PC14.052 (***=270~320W);
TSM-***PD14.002, TSM-***PD14.052, TSM-***PD14.082 (***=260~325W);
TSM-***DD05A.002(II), TSM-***DD05A.052(II), TSM-***DD05A.082(II) (***=260~300W);
TSM-***DD14A.002(II), TSM-***DD14A.052(II), TSM-***DD14A.082(II) (***=320~375W);
TSM-***PD05.001, TSM-***PD05.051, TSM-***PD05.081 (***=215~275W);
TSM-***PD14.001, TSM-***PD14.051, TSM-***PD14.081 (***=260~325W);
TSM-***DD05A.001(II), TSM-***DD05A.051(II), TSM-***DD05A.081(II) (***=260~300W);
TSM-***DD14A.001(II), TSM-***DD14A.051(II), TSM-***DD14A.081(II) (***=320~375W);
TSM-***PD05.00M, TSM-***PD05.05M, TSM-***PD05.08M (***=215~275W);
TSM-***PD14.00M, TSM-***PD14.05M, TSM-***PD14.08M (***=260~325W);
TSM-***DD05A.00M(II), TSM-***DD05A.05M(II), TSM-***DD05A.08M(II) (***=260~300W);
TSM-***DD14A.00M(II), TSM-***DD14A.05M(II), TSM-***DD14A.08M(II) (***=320~375W);
TSM-***PD05.00U, TSM-***PD05.05U, TSM-***PD05.08U (***=215~275W);
TSM-***PD14.00U, TSM-***PD14.05U, TSM-***PD14.08U (***=260~325W);
TSM-***DD05A.00U(II), TSM-***DD05A.05U(II), TSM-***DD05A.08U(II) (***=260~300W);
TSM-***DD14A.00U(II), TSM-***DD14A.05U(II), TSM-***DD14A.08U(II) (***=320~375W);

Changzhou Trina Solar Energy Co. Ltd.

No. 2 Tian He Road, Electronics Park, New District,
Changzhou, Jiangsu, 213031

T: +86 519 8548 2008
F: +86 519 8517 6021
E: sales@trinasolar.com

Trina Solar (Schweiz) AG

Richtstrasse 11
8304 Wallisellen Schweiz

T: +41 43 299 6800
F: +41 43 299 6810
E: europa@trinasolar.com

Trinasmart:

TSM-***PD05.00S, TSM-***PD05.05S, TSM-***PD05.08S (***=215~275W);
TSM-***PD14.00S, TSM-***PD14.05S, TSM-***PD14.08S (***=260~325W);
TSM-***DD05A.00S(II), TSM-***DD05A.05S(II), TSM-***DD05A.08S(II) (***=260~300W);
TSM-***DD14A.00S(II), TSM-***DD14A.05S(II), TSM-***DD14A.08S(II) (***=320~375W);

Trinapeak:

TSM-***PD05.00C, TSM-***PD05.05C, TSM-***PD05.08C (***=240~275W);
TSM-***PD05.00D, TSM-***PD05.05D, TSM-***PD05.08D (***=240~275W);
TSM-***PD14.00C, TSM-***PD14.05C, TSM-***PD14.08C (***=290~320W);

Spacemax:

TSM-***DC03A(II), TSM-***DC03A.05(II), TSM-***DC03A.08(II) (***=220~250W);

Splitmax:

TSM-***DC06.08(II) (***=290~315W);

Airmax:

TSM-***PC05B (***=200~290W);

Off Grid:

TSM-***PC20 (***=120~160W), TSM-***PC22 (***=95~100W), TSM-***PC26 (***=80~90W);

The Others:

TSM-***DC01, TSM-***DC01.05, TSM-***DC01.08 (***=155~195W);
TSM-***DC03, TSM-***DC03.05, TSM-***DC03.08 (***=160~190W);
TSM-***DC05, TSM-***DC05.05, TSM-***DC05.08 (***=210~250W);
TSM-***DC80, TSM-***DC80.05, TSM-***DC80.08 (***=180~220W);
TSM-***DC01A, TSM-***DC01A.05, TSM-***DC01A.08 (***=170~205W);
TSM-***DC03A, TSM-***DC03A.05, TSM-***DC03A.08 (***=200~215W);
TSM-***DC05A, TSM-***DC05A.05, TSM-***DC05A.08 (***=230~280W);
TSM-***DC21, TSM-***DC21.05, TSM-***DC21.08 (***=100~110W);
TSM-***DC14 (***=250~290W); TSM-***DC14A (***=280~335W);

Changzhou Trina Solar Energy Co. Ltd.

No. 2 Tian He Road, Electronics Park, New District,
Changzhou, Jiangsu, 213031

T: +86 519 8548 2008
F: +86 519 8517 6021
E: sales@trinasolar.com

Trina Solar (Schweiz) AG

Richtstrasse 11
8304 Wallisellen Schweiz

T: + 41 43 299 6800
F: + 41 43 299 6810
E: europa@trinasolar.com



TSM-***PC03, TSM-***PC03.05, TSM-***PC03.08 (***=160~190W);

TSM-***PC05, TSM-***PC05.08 (***=215~275W);

Standards: IEC 61730, Class A, Photovoltaic (PV) module safety qualification

- Application Class: Class A
- Max. System voltage: 1000V DC
- Construction: Framed, with Junction box, cable and connectors

Directive 2004/108/EC, Electromagnetic Compatibility

Directive 93/68/EEC, CE marking

IEC 61215 Ed. 2, Crystalline silicon terrestrial photovoltaic (PV) modules – Design qualification and type approval

EN 50380, Datasheet and nameplate information for photovoltaic modules

2) 1000V Dual Glass Products:

Duomax:

TSM-***PDG5, TSM-***PDG5.07 (***=230~290W);

TSM-***PDG14 (***=280~340W);

Standards: IEC 61730, Class A, Photovoltaic (PV) module safety qualification

- Application Class: Class A
- Max. System voltage: 1000V DC
- Construction: Frameless double glass, with Junction box, cable and connectors

Directive 2004/108/EC, Electromagnetic Compatibility

Directive 93/68/EEC, CE marking

IEC 61215 Ed. 2, Crystalline silicon terrestrial photovoltaic (PV) modules – Design qualification and type approval

EN 50380, Datasheet and nameplate information for photovoltaic modules

3) 1500V Dual Glass Products:

Duomax:

TSM-***PEG40, TSM-***PEG40.07, TSM-***PEG40.40, TSM-***PEG40.47 (***=160~175W);

Changzhou Trina Solar Energy Co. Ltd.

No. 2 Tian He Road, Electronics Park, New District,
Changzhou, Jiangsu, 213031

T: +86 519 8548 2008
F: +86 519 8517 6021
E: sales@trinasolar.com

Trina Solar (Schweiz) AG

Richtstrasse 11
8304 Wallisellen Schweiz

T: + 41 43 299 6800
F: + 41 43 299 6810
E: europa@trinasolar.com

TSM-***PEG5, TSM-PEG5.07, TSM-***PEG5.40, TSM-PEG5.47 (***=230~290W);

TSM-***PEG14, TSM-***PEG14.07, TSM-***PEG14.40, TSM-***PEG14.47 (***=280~340W);

Duomax M Plus:

TSM-***DEG40(II), TSM-***DEG40.07(II), TSM-***DEG40.40(II), TSM-***DEG40.47(II) (***=180~200W);

TSM-***DEG5(II), TSM-***DEG5.07(II), TSM-***DEG5.40(II), TSM-***DEG5.47(II) (***=260~315W);

TSM-***DEG14(II), TSM-***DEG14.07(II), TSM-***DEG14.40(II), TSM-***DEG14.47(II) (***=325~375W);

Standards: IEC 61730, Class A, Photovoltaic (PV) module safety qualification

- Application Class: Class A
- Max. System voltage: 1500V DC
- Construction: Frameless double glass, with Junction box, cable and connectors

Directive 2004/108/EC, Electromagnetic Compatibility

Directive 93/68/EEC, CE marking

IEC 61215 Ed. 2, crystalline silicon terrestrial photovoltaic (PV) modules – Design qualification and type approval

EN 50380, Datasheet and nameplate information for photovoltaic modules

4) 1500V Framed Products:

TSM-***PE05A, TSM-***PE05A.08 (***=240~290W); TSM-***PE14A (***=290~345W);

TSM-***DE05A(II), TSM-***DE05A.08(II) (***=230~315W); TSM-***DE14A(II) (***=280~375W);

Standards: IEC 61730, Class A, Photovoltaic (PV) module safety qualification

- Application Class: Class A
- Max. System voltage: 1500V DC
- Construction: Framed, with Junction box, cable and connectors

Directive 2004/108/EC, Electromagnetic Compatibility

Directive 93/68/EEC, CE marking

IEC 61215 Ed. 2, Crystalline silicon terrestrial photovoltaic (PV) modules – Design qualification and type approval

EN 50380, Datasheet and nameplate information for photovoltaic modules

This Certificate of Conformity is issued on a voluntary basis for the listed above. With reference to the Low Voltage

Changzhou Trina Solar Energy Co. Ltd.

No. 2 Tian He Road, Electronics Park, New District,
Changzhou, Jiangsu, 213031

T: +86 519 8548 2008
F: +86 519 8517 6021
E: sales@trinasolar.com

Trina Solar (Schweiz) AG

Richtstrasse 11
8304 Wallisellen Schweiz

T: +41 43 299 6800
F: +41 43 299 6810
E: europa@trinasolar.com

Trinasolar

Smart Energy Together



Directive 2006/95/EC relating to the electrical equipment designed for use within certain voltage limits. It confirms that the list equipment complies with the principal protection requirements of the directive. It refers only to the particular samples submitted for testing and certification.

Signed by

Axel Steuer, Cristina Alba

Director of Quality Department



Trina Solar (Schweiz) AG
Richtstrasse 11
CH-8304 Wallisellen
CH



Changzhou Trina Solar Energy Co. Ltd.

No. 2 Tian He Road, Electronics Park, New District,
Changzhou, Jiangsu, 213031

T: +86 519 8548 2008
F: +86 519 8517 6021
E: sales@trinasolar.com

Trina Solar (Schweiz) AG

Richtstrasse 11
8304 Wallisellen Schweiz

T: + 41 43 299 6800
F: + 41 43 299 6810
E: europa@trinasolar.com